



DDSD

2-Tool Rework Station with DT530

This Plug & Play Guide corresponds to the following references:

Ref.

DDSD-9QB (100 V)
DDSD-1QB (120 V)
DDSD-2QB (230 V)

Station

More Information on the
product web page




Packing List

The following items are included according purchased station reference:


DDE 2-Tool Control Unit 1 unit Ref. DDE-9D (100 V) Ref. DDE-1D (120 V) Ref. DDE-2D (230 V)	T245 General Purpose Handle 1 unit Ref. T245-A	DT530 Angled Desoldering Iron 1 unit Ref. DT530-A
MSE Electric Desoldering Module 1 unit Ref. MSE-B	ADS Stand for T210 & T245 Handles 1 unit Ref. AD-SF	DTS Stand for DT530 1 unit Ref. DT-SB
SCH Cartridge Holder 1 unit Ref. SCH-A		

Installation



Installation

DDE 2-Tool Control Unit



* Not included, sold separately.

Specifications

DDSD

2-Tool Rework Station with DT530

Ref. **DDSD-9QB** (100 V)

Ref. **DDSD-1QB** (120 V)

Ref. **DDSD-2QB** (230 V)

- Package Dimensions / Weight:
(L x H x W)

425 x 360 x 433 mm / 11.10 kg

16.73 x 14.17 x 17.05 in / 24.47 lb

Complies with CE standards.

ESD safe.

JBC

Warranty

Information regarding the warranty of each product can be found on the final page of its instruction manual.



This product should not be thrown in the garbage.

In accordance with the European directive 2012/19/EU, electronic equipment at the end of its life must be collected and returned to an authorized recycling facility.