JBC

www.jbctools.com

P&P Guide

FAE1 KIT2

Fume Extractor Kit for 2 Workbenches

This Plug & Play Guide corresponds to the following references:

Ref.

FAE1-9K2D (100 V)
FAE1-1K2D (120 V)
FAE1-2K2D (230 V)

Information

Web page of the latest product version

Video Guide

Watch the product video

Packing List

The following items are included according to purchased reference:

Fume Extractor ..... 1 unit
Ref. FAE1-9C (100 V)
Ref. FAE1-1C (120 V)
Ref. FAE1-2C (230 V)

Includes:
- RJ12 Connection Cable ref. 0019751 — *This cable is required to connect Modular control units and Compact stations from version "F" onwards to FAE1.*
- USB Connection Cable (USB-A to USB-B) ref. 0021042
- Station Connection Adapter (RJ12 to USB-A) ref. 0023504 — *The cable and the adapter are required to connect Compact stations with version "E" and previous to FAE1.*

Flexible Hose ø50 mm ..... 2 units
Ref. FAE010

FAE093
Cylindric Nozzle

Flexible Arm ø50 mm with Clamp ..... 2 units
Ref. FAE072

Pedal ..... 1 unit
Ref. P405

Installation

FAE1K2
Fume Extractor Kit for 2 Workbenches



Specifications

FAE1 KIT2
Fume Extractor Kit for 2 Workbenches
Ref. **FAE1-9K2D** (100 V)
Ref. **FAE1-1K2D** (120 V)
Ref. **FAE1-2K2D** (230 V)

- Net Weight:	16.91 kg / 37.28 lb
- Package Dimensions / Weight:	620 x 460 x 825 mm / 23.20 kg
(L x H x W)	24.41 x 18.11 x 32.48 in / 51.15 lb

Complies with CE standards.
ESD safe.

JBC

Warranty

Information regarding the warranty of each product can be found on the final page of its instruction manual.

This product should not be thrown in the garbage.
In accordance with the European directive 2012/19/EU, electronic equipment at the end of its life must be collected and returned to an authorized recycling facility.

www.jbctools.com

0036869-130726